ELSEVIER

Colloids and Surfaces B: Biointerfaces 18 (2000) 387–388

COLLOIDS AND SURFACES B

www.elsevier.nl/locate/colsurfb

Contents of Volume 18

(Abstracted/indexed in: Chemical Abstracts; Current Contents; Physical, Chemical & Earth Sciences; INSPEC; PASCAL/CNRS; MEDLINE)

Vol. 18 No. 1

Selective displacement of caseinate proteins by hens egg yolk lipoproteins at oil-in-water interfaces
Y. Mine and M. Keeratiurai (Guelph, Canada) 1
Fluorescence immunoassay based on fluorescer microparticles
A. Kamyshny and S. Magdassi (Jerusalem, Israel) 13
Non-equilibrium thermodynamic simulation of metal uptake in the bacterial electrical double-layer
E. Wasserman, A.R. Felmy and A. Chilakapati (Richland, WA, USA) 19
α-Amylase kinetic parameters modulation by lecithin vesicles: binding versus entrapment
J.M. Sanchez and M.A. Perillo (Cordoba, Argentina) 31
Effect of local anesthetics on the phase transition temperatures of ether- and ester-linked phospholipid bilayer membranes
T. Hata, H. Matsuki and S. Kaneshina (Tokushima, Japan) 41
C-phycocyanin incorporated into reverse micelles: a fluorescence study
R. Bermejo (Linares, Spain), E.M. Talavera, C. delValle and J.M. Alvarez-Pez (Granada, Spain). 51

Calendar 61

Vol. 18 No. 2

Potentiometric titration and enthalpy evaluation of horseradish peroxidase in the presence of n-dodecyl trimethylammonium bromide
K. Nazari and A.A. Moosavi-Movahedi (Tehran, Iran) 63
Quantification of adsorbed human serum albumin at solid interfaces: a comparison between radioimmunoassay (RIA) and simple null ellipsometry
J. Benesch, A. Askendal and P. Tengvall (Linköping, Sweden) 71
A mechanism for ion-induced lipid vesicle fusion
S. Ohki (Buffalo, NY, USA) and K. Arnold (Leipzig, Germany) 83
Effect of water stress on redox system in plasmic membrane of mature leaf of young *P. Betuloefolia Bqe*
H.C. Zhao, B.C. Wang, S.X. Cai (Chongqing, People's Republic of China) and A. Sakanishi (Gunma, Japan). 99
Formation and characteristics of nitrifying biofilm on a membrane modified with positively-charged polymer chains
K. Hibiya, S. Tsuneda and A. Hirata (Tokyo, Japan) 105
Instant water sterilizing system using active oxygen species
S. Iwaguchi, T. Mochizai, M. Hattori (Yokohama, Japan), M. Takahashi (Tokyo, Japan) and N. Kawashima (Yokohama, Japan). 113
Mobility of erythrocyte from sedimentation rate at different osmotic pressures
A. Sakanishi, A. Yoshikoshi and Y. Naito (Gunma, Japan) 119
Immunological proteo-glycolipidic interfacial film obtained from spreading of liposomes including ascitic fluid
A.P. Girard-Egrot, R.M. Morélis, P. Boullanger and P.R. Coulet (Villeurbanne, France) 125
Improved refolding of denatured/reduced lysozyme using disulfide-carrying polymeric microspheres
H. Shimizu, K. Fujimoto and H. Kawaguchi (Yokohama, Japan) 137
Influence of microbial activity on the stability of activated sludge flocs
B.-M. Wilén (Gothenburg, Sweden), J. Lund Nielsen, K. Keiding and P.H. Nielsen (Aalborg, Denmark) 145

Porous materials in environmentally friendly processes: Proceedings of the 1st International FEZA Conference, Eger, Hungary, 1–4 September, 1999 157
Catalyst deactivation 1999: Proceedings of the 8th International Symposium, Brugge, Belgium, 10–13 October, 1999 . . . 161

Calendar 165

Vol. 18 Nos. 3–4

Editorial
K. Park (West Lafayette, IN, USA) . . . 167
Prevention of protein adsorption by flexible and rigid chain molecules
M.A. Carignano and I. Szleifer (West Lafayette, IN, USA) . . . 169
PEG-covered lipid surfaces: bilayers and monolayers
D. Needham and D.H. Kim (Durham, NC, USA) . . . 183
Methods for reducing biosensor membrane biofouling
N. Wisniewski and M. Reichert (Durham, NC, USA) . . . 197
Method of immobilization of carboxymethyl-dextran affects resistance to tissue and cell colonization
K.M. McLean (Clayton, Australia), G. Johnson (North Ryde, Australia), R.C. Chatelier, G.J. Beumer (Clayton, Australia), J.G. Steele (North Ryde, Australia) and H.J. Griesser (Clayton, Australia) . . . 221
Non-fouling surfaces produced by gas phase pulsed plasma polymerization of an ultra low molecular weight ethylene oxide containing monomer
Y.J. Wu, R.B. Timmons (Arlington, TX, USA), J.S. Jen and F.E. Molock (Jacksonville, FL, USA) . . . 235
Force measurements on cell repellant and cell adhesive alginic acid coated surfaces
M. Morra and C. Cassinelli (Villafranca d'Asti, Italy) . . . 249
Phosphorylcholine-based polymers and their use in the prevention of biofouling
A.L. Lewis (Farnham, UK) . . . 261
Immobilization of trypsin on porous glycidyl methacrylate beads: effects of polymer hydrophilization
M. Malmsten (Stockholm, Sweden) and A. Larsson (Uppsala, Sweden) . . . 277
Study of complement activation on well-defined surfaces using surface plasmon resonance
I. Hirata, Y. Morimoto, Y. Murakami, H. Iwata (Kyoto, Japan), E. Kitano, H. Kitamura (Osaka, Japan) and Y. Ikada (Kyoto, Japan) . . . 285
Long-circulating gadolinium-loaded liposomes: potential use for magnetic resonance imaging of the blood pool
V. Weissig (Boston, MA, USA), J. Babich (Cambridge, MA, USA) and V. Torchilin (Boston, MA, USA) . . . 293
'Stealth' corona-core nanoparticles surface modified by polyethylene glycol (PEG): influences of the corona (PEG chain length and surface density) and of the core composition on phagocytic uptake and plasma protein adsorption
R. Gref (Châtenay Malabry, France), M. Lück (Berlin, Germany), P. Quellec, M. Marchand, E. Dellacherie (Nancy, France), S. Harnisch (Berlin, Germany), T. Blunk (Cambridge, MA, USA) and R.H. Müller (Berlin, Germany) . . . 301
The role of PEG on the stability in digestive fluids and in vivo fate of PEG-PLA nanoparticles following oral administration
M. Tobío, A. Sánchez, A. Vila (Santiago de Compostela, Spain), I. Soriano, C. Evora (Tenerife, Spain), J.L. Vila-Jato and M.J. Alonso (Santiago de Compostela, Spain) . . . 315
Photoinduced graft polymerization of 2-methacryloyloxyethyl phosphorylcholine on polyethylene membrane surface for obtaining blood cell adhesion resistance
K. Ishihara, Y. Iwasaki (Tokyo, Japan), S. Ebihara, Y. Shindo (Chiba, Japan) and N. Nakabayashi (Tokyo, Japan) . 325
Preparation of non-fouling surface through the coating with core-polymerized block copolymer micelles having aldehyde-ended PEG shell
K. Emoto, Y. Nagasaki, M. Iijima, M. Kato (Chiba, Japan) and K. Kataoka (Tokyo, Japan) . . . 337
Surface modification of polyethylene terephthalate using PEO-polybutadiene-PEO triblock copolymers
A. Kidane (West Lafayette, IN, USA), T. McPherson (St Louis, MO, USA), H.S. Shim (Irvine, CA, USA) and K. Park (West Lafayette, IN, USA) . . . 347
Platelet and bacterial repellence on sulfonated poly(ethylene glycol)-acrylate copolymer surfaces
H.J. Lee, K.D. Park, H.D. Park, W.K. Lee, D.K. Han, S.H. Kim and Y.H. Kim (Seoul, South Korea) . . . 355
Synthesis, characterization and protein adsorption behaviors of PLGA/PEG di-block co-polymer blend films
J.H. Jeong, D.W. Lim (Taejon, South Korea), D.K. Han (Seoul, South Korea) and T.G. Park (Taejon, South Korea) 371

Calendar . . . 381
Author Index . . . 383
Subject Index . . . 385
Volume Contents . . . 387